Save up to 50% of your frying oil




Frying oil filter & oil tester

Your solution - the VITO product line

The world's most innovative frying oil filtration system!

The VITO oil filter system cleans your oil, ensures quality and saves up to 50%.









Save up to 50% You will save money, oil, labor, storage space and delivery costs with VITO!



Easy & safe handling Get clean oil in approx. 5 minutes. Put VITO in the fryer at service temperature. Push the button and you're done!





Simple cleaning

VITO is made of stainless steel and therefore dishwasher safe! VITO disassembles to fit easily in any dishwasher!

Constant quality


VITO ensures you always fry in clean oil which means great quality fried food.



The VITO effect

What is VITO doing?

Used daily, VITO filters remove food particles and carbon from your frying oil. Frying in clean, filtered oil will result in a better tasting and better looking fried product. Oil life increases and workload decreases due to less oil changes and fryer cleanings.



VITO portable

The world's best in-tank pressure oil filtration system!

VITO VL

up to 100l/min

220 lbs/min


2,5kg

5.5lbs


up to 5um

200 uinch

Track the usage of your VITO VL and VITO VM remotely and protect your investment (Wi-Fi capable device necessary) VITOCOnnect









~ 45cm

~ 17 7in

4,5min

8,8kg

19 4lbs

max. 200°C

max 392°F

Stainless steel

1 4 3 0 1

Cellulose

FDA-CFR 21



made

Ω" €€

in Germany

116mm

4.6in

VITO mobile

The world's most innovative vacuum filtration system!



	Filtration power	Filtration efficiency	Particle uptake	Pumping power	Tank	Weight	Temperature	Material VITO	Particle filter
VITO XS	up to 30I /min	up to 5ųm	10,7kg /	35l/min	40l /	45kg /	max. 200°C	Stainless steel	Cellulose
	66 lbs/min	200 ųinch	23,6 lbs	77lbs	73lbs	100lbs	max. 392°F	1.4301	FDA-CFR 21
VITO XM	up to 30l/min	up to 5ųm	10,7kg /	35l/min	75l /	55,8kg /	max. 200°C	Stainless steel	Cellulose
	66 lbs/min	200 ųinch	23,6 lbs	77lbs	137lbs	123lbs	max. 392°F	1.4301	FDA-CFR 21
VITO XL	up to 30l/min	up to 5ųm	10,7kg /	35l/min	120l /	64kg /	max. 200°C	Stainless steel	Cellulose
	66 lbs/min	200 ųinch	23,6 lbs	77lbs	220lbs	141lbs	max. 392°F	1.4301	FDA-CFR 21










VITO FT CONNECT - Frying oil tester

Frying oil testers measure the quality of your frying oil.

Change your oil as needed - never too early, never too late! The tester is integrated into the VITOconnect software and automatically creates a HACCP list from the measured data.









	Parameter	Resolution	Measuring range TPM	Measuring range °C / °F	Accuracy	Battery	IP format	Alarm function	
FT CONNECT	%TPM °C/°F	0.5% TPM 0.1°C/°F	0 40% TPM	+50°C +200°C +122°F +392°F		3.7V Lithium (CR 2477)	IP 67	3-color traffic light function	



VITO

Seen in 150 countries - used in over 50.000 kitchens





The VITO - product line:

- saves up to 50% of your frying oil
- better quality for your fried products
- less workload around your fryer







Manufacturer: VITO AG

Eltastr.6, 78532 Tuttlingen, Germany Phone: +49 (0) 7461 / 96289-0 Fax: +49 (0) 7461 / 96289-12 info@vito.ag - www.vito.ag

VITO[®] is a registered trademark of VITO AG, Germany V 7.0 EN



Follow us on

